

<b>Effective Date</b>	9.26.2019
<b>Impacted Manual #(s)/Manual Title(s):</b>	
Manual 11: Energy & Ancillary Services Market Operations	
<b>Conforming Order(s):</b>	
N/A	
<b>Associated Issue Tracking Title:</b>	N/A
<b>Committee Approval Path - What committee(s) have already seen these changes?</b>	
MIC First Read: 7.10.2019 MIC Endorsement: 8.7.2019 MRC First Read: 8.22.2019 MRC Endorsement:9.26.2019	
<b>MRC 1<sup>st</sup> read date:</b>	8.22.2019
<b>MRC voting date:</b>	9.26.2019
<b>Impacted Manual sections:</b>	
Sections 3.2.9 Section 4.2.2	
<b>Reason for change:</b>	
Document procedure for addressing missing historical performance scores in the regulation market and clarify that the reserve requirements used in the market clearing process are based on the potential largest single contingencies which are communicated by PJM Operations and modeled in the markets clearing software.	
<b>Summary of the changes:</b>	
<ul style="list-style-type: none"> <li>• Section 3.2.9 Regulation Market Operations <ul style="list-style-type: none"> <li>○ Inclusion of process for addressing regulation historic performance scores for an operating day that fail to bridge over into the market clearing system</li> </ul> </li> <li>• Section 4.2.2 Synchronized Reserve Requirement Determination <ul style="list-style-type: none"> <li>○ Clarifying language on reserve requirement determination for market clearing purposes.</li> </ul> </li> </ul>	