



EOP-011-4 R7

Effective 10/1/2024

Gizella Mali,
NERC Compliance
September, 2024

- R7. Each Transmission Operator shall annually identify and notify Distribution Providers, UFLS-Only Distribution Providers and Transmission Owners that are required to assist with the mitigation of operating Emergencies in its Transmission Operator Area through operator-controlled manual Load shedding, undervoltage Load shedding, or underfrequency Load shedding. [Violation Risk Factor: Lower] [Time Horizon: Operations Planning, Long-term Planning]
 - M7. Each Transmission Operator will have documentation, such as dated emails or other correspondences that it identified and notified Distribution Providers, UFLS-Only Distribution Providers and Transmission Owners annually in accordance with Requirement R7.

- In accordance with NERC Reliability Standard EOP-011-4 R7, PJM as the Transmission Operator, has identified in PJM M13 Emergency Operations, Attachment E: Manual Load Dump Allocation Tables, Attachment F: PJM Manual Load Dump Capability, and PJM M36 System Restoration, Attachment H: Under Frequency Load Shed (UFLS) Tables, the Distribution Providers, UFLS-Only Distribution Providers and Transmission Owners, as entities that are required to assist with the mitigation of operating Emergencies in its Transmission Operator Area through operator-controlled manual Load shedding, undervoltage Load shedding, or underfrequency Load shedding.

- PJM does not require an undervoltage Load shedding (UVLS) program.

- PJM M13 Emergency Operations Rev. 93, Effective 7/25/2024
 - Attachment E: Manual Load Dump Allocation Tables,
 - Attachment F: PJM Manual Load Dump Capability

In accordance with NERC Reliability Standard EOP-011-4 R7, PJM as the Transmission Operator, has identified in PJM M13 Emergency Operations, Attachment E: Manual Load Dump Allocation Tables, Attachment F: PJM Manual Load Dump Capability, and PJM M36 System Restoration, Attachment H: Under Frequency Load Shed (UFLS) Tables, the Distribution Providers, UFLS-Only Distribution Providers and Transmission Owners, as entities that are required to assist with the mitigation of operating Emergencies in its Transmission Operator Area through operator-controlled manual Load shedding, undervoltage Load shedding, or underfrequency Load shedding

- PJM M36 System Restoration – **Future Manual Revision**
 - Attachment H: Under Frequency Load Shed (UFLS) Tables

In accordance with NERC Reliability Standard EOP-011-4 R7, PJM as the Transmission Operator, has identified in PJM M13 Emergency Operations, Attachment E: Manual Load Dump Allocation Tables, Attachment F: PJM Manual Load Dump Capability, and PJM M36 System Restoration, Attachment H: Under Frequency Load Shed (UFLS) Tables, the Distribution Providers, UFLS-Only Distribution Providers and Transmission Owners, as entities that are required to assist with the mitigation of operating Emergencies in its Transmission Operator Area through operator-controlled manual Load shedding, undervoltage Load shedding, or underfrequency Load shedding

- PJM is to issue notification letter to Member Transmission Owners (TOs)
 - Via the PJM Secure Share tool
 - Confirmation Receipt request
 - Pardot Notification to the SOS-T and TTMS
- Future identification and notifications relating to EOP-011-4 R7 housed in Manual 13 Attachment E, Attachment F, and PJM Manual 36 Attachment H
 - Notification to be provided via the stakeholder process
- Notification letter to be posted to the PJM [Compliance](#) page

SME/Presenter:
Gizella Mali

Gizella.Mali@pjm.com



Member Hotline

(610) 666 – 8980

(866) 400 – 8980

custsvc@pjm.com

**PROTECT THE
POWER GRID
THINK BEFORE
YOU CLICK!**



Be alert to
malicious
phishing emails.

Report suspicious email activity to PJM.
(610) 666-2244 / it_ops_ctr_shift@pjm.com

