Template for Residential DR Measurement and Verification Plan

Please complete appropriate forms and email to <u>dsr_ops@pim.com</u> before you submit your registration into DR Hub and before May 1 of upcoming Deliver Year.

1. Program overview

Description of program:

A: What end uses (AC, water heater, etc.) at customer home will reduce load and how will the load be reduced/controlled (type of technology used to control, 1 way vs 2 way communication)? [Example - Central air conditioners will be cycled remotely based on 50%, 75% or 100% cycling strategy. Air conditioners are controlled remotely by 1 way radio frequency message. Customers do not have ability to override the AC cycling.]

B: How do customers join and leave the program and what is expected churn rate? [Example - EDC solicits customers for participation through multiple channels (bill stuffer, email, radio, TV) to participate. Customer may join through June and may leave with 1 month notice. Churn rate is typically 5% per year.]

C: Which PJM markets are you requesting to participate in (capacity, economic energy, synchronized reserves]?

[Example – capacity only]

Example				
Zone	EDC	End Use Control/Strategy & Technology	Participants	Interval Meters (with interval load data)
Zone A	EDC 1	AC only, 50% cycle, Honeywell tstat	20,000	2,000
Zone A	EDC 1	Water Heater only, 50% cycle, X DCU	8,000	500
Zone A	EDC 1	AC & Water Heater, 50% cycle, Homewell tstat and X DCU	10,000	1,000

2. Expected customer participation in program

Template for Residential DR Measurement and Verification Plan

Please complete the following expected participation matrix

Zone	EDC	End Use Control	Participants	Interval Meters (with interval load data)

Template for Residential DR Measurement and Verification Plan

3. Variance study & associated sample size determination (only need to complete if sample will be used – if you have interval metering for all participants you do not need to complete)

Please complete excel template (VarianceStudy_SampleSelection_Template.xlsx) with details used for variance study that determined sample size. Please explain how customers were selected for variance study and why they are representative of the population of customers.

[Example - customer were randomly selected from population.]

4. Sample selection and stratification (only need to complete if sample will be used – if you have interval metering for all participants you do not need to complete)

Please complete excel template (VarianceStudy_SampleSelection_Template.xlsx) with population, stratification (as approprirate) and associated sample. Please also provide brief description of how you selected sample and any stratification used to ensure the sample reflects the population.

[Example – Randomly stratified sample selected where stratification was based on monthly kwh (population split into 2 strata: =>X kwh and <X kwh). 50% of population included in Strata 1 and 50% of population in strata 2.]

5. Reminders:

- a. *Please ensure all load data complies with protocol outline in Manual 19, attachment D.*
- b. Please ensure load data submitted to PJM represents population of participants cycled as outlined in Manual 19, attachment D.
- c. Please see pjm website training material for full description of residential M&V rules (<u>https://pjm.com/training/-</u> /media/0B373FE4F50940B68EC52A2DED08EB4D.ashx)