

PJM RPM Default Avoidable Cost Rates for the 2014/2015 Delivery Year\*

Technology Type	2014-2015 Mothball Avoidable Cost Rate (\$/MW-Day)	2014-2015 Retirement Avoidable Cost Rate (\$/MW-Day)
Nuclear	N/a	N/a
Pumped Storage	\$24.56	\$34.48
Hydro	\$83.93	\$109.76
Sub-Critical Coal	\$201.49	\$223.35
Super Critical Coal	\$208.17	\$227.70
Waste Coal - Small	\$265.72	\$321.83
Waste Coal - Large	\$98.27	\$118.72
Wind	N/a	N/a
CC - Two on One Frame F Technology	\$36.54	\$51.83
CC - Three on One Frame E/Siemens Technology	\$40.57	\$54.94
CC - Three or More on One or More Frame F Technology	\$31.64	\$43.92
CC - NUG Cogeneration Frame B or E Technology	\$135.82	\$182.52
CT - First & Second Generation Aero (P&W FT 4)	\$29.04	\$38.63
CT - First & Second Generation Frame B	\$28.70	\$38.30
CT - Second Generation Frame E	\$27.28	\$36.50
CT - Third Generation Aero (GE LM 6000)	\$66.03	\$97.33
CT - Third Generation Aero (P&W FT-8 TwinPak)	\$34.63	\$51.06
CT - Third Generation Frame F	\$28.00	\$40.33
Diesel	\$31.08	\$39.45
Oil and Gas Steam	\$77.07	\$93.83

\*Default ACR Values are calculated as described in section 6.7(c) of the PJM OATT, Attachment DD. Capacity Market Sellers shall use the one-year mothball Avoidable Cost Rate shown above, unless the Capacity Market Seller satisfies the criteria set forth in section 6.7(e) of the PJM OATT, Attachment DD.