

**PJM Interconnection**  
**Zonal Weather Standards For Normalizing Weather Sensitive Energy Efficiency**  
**Demand Reduction in Summer and Winter**

<b>Zone</b>	<b>Summer WTHI</b>	<b>Winter WWP</b>
AE	83.0	19.4
AEP	81.4	17.6
APS	81.1	15.7
ATSI	81.1	13.7
BGE	83.3	20.8
COMED	81.5	15.4
DAYTON	81.8	14.9
DEOK	82.4	19.0
DLCO	80.5	13.9
DOM	83.1	24.8
DPL	82.7	20.2
EKPC	82.5	21.5
JCPL	82.6	18.2
METED	82.3	18.8
PECO	82.9	20.5
PENLC	80.6	14.8
PEPCO	83.9	23.1
PL	81.4	15.8
PS	82.7	17.8
RECO	82.7	17.2
UGI	80.5	13.2

**Notes:**

WTHI - Weighted Temperature Humidity Index

WWP - Winter Weather Parameter (Wind speed-adjusted Temperature)

Zonal WTHI Standard = Mean of Zonal WTHI values on days PJM peak load occurred in 1998-2022 summers.

Zonal WWP Standard = Mean of Zonal WWP values at hours PJM peak load occurred in 1997/98-2021/22 winters.

*Updated February 21, 2023*